

Anlieferungsrichtlinien der GRUNER AG

Anwendungsbereich

Diese Anlieferrichtlinien definieren die Anlieferung aller Materialien an die Gruner AG, Wehingen. Abweichungen zu diesen Richtlinien haben nur Gültigkeit, wenn sie im Einkaufsbestelltext der Gruner AG hinterlegt sind, oder ein produktspezifisches Verpackungsdatenblatt vereinbart wurde.

Eine generelle Ausnahme gilt für folgende Warengruppen: Bandmaterialien, Kunststoffgranulate in Oktabins, Hilfs- und Betriebsmittel.

Anlieferung

Allgemeine Grundsätze

Warenannahmezeiten: Montag – Donnerstag:	07:00 bis 12:00 Uhr
	13:00 bis 17:00 Uhr
Freitag:	07:00 bis 12:00 Uhr
	13:00 bis 15:00 Uhr

Hinweise zur Anlieferung

Die Anfahrt zu unserem Werk in Wehingen ist ausschließlich über die Bürglestraße möglich.

Das Betreten des Lagers, ist nur mit Arbeitssicherheitsschuhen zulässig!

Der Warenbegleitschein / Lieferschein ist von außen gut sichtbar und unverlierbar an der Ware anzubringen.

Bei zollpflichtigen Waren ist dem Lieferschein die Rechnung beizufügen.

Im Beförderungspapier muss angegeben sein ob es sich um Zollgut oder um Freigut handelt, wenn es sich um Zollgut handelt, muss das T-Papier mit übergeben werden.

Das Maximalgewicht der Behälter / Karton / Gebinde von 15 kg, darf nicht überschritten werden. Die Artikel sind gebündelt zu trennen.

Im Rahmen einer artikelgemischten Anlieferung in einem Behälter / Karton / Gebinde sind diese gem. Abschnitt Begleitetiketten/-anhänger von außen sichtbar zu kennzeichnen.

Anbruchgebände sind zu vermeiden. Bei Gefahrstoffen sind Anbruchgebände nicht zulässig.

Um unnötige Abfälle zu vermeiden, ist auf den bedarfsgerechten Einsatz von Hilfsmitteln zu achten, die für den Transport, die Einlagerung im Hochregallager oder den Diebstahlschutz tatsächlich erforderlich sind.

FB Anlieferungsrichtlinien / Delivery guidelines

Nach Vorgabe des VdS (Verband der Sachversicherer) dürfen polystyrolschaumverpackte Lieferungen nicht eingelagert werden. Anlieferungen in Polystyrol-Schaumverpackungen sind daher nicht zulässig!

Bei Sendungen, die von den oben genannten Ausnahmen nicht befreit sind, ist in jedem Fall eine Flachpalette mit den Abmessungen 1200 mm x 800 mm x 144 mm (Europäische Tauschpalette / EPAL) zu verwenden. Einwegpaletten dürfen nicht verwendet werden. Ausgenommen sind Länder, die nicht Mitglied im Europäischen Palettenpool des internationalen Eisenbahnverbandes sind.

Für Lieferungen aus Drittländern sind die Anforderungen und Richtlinien des IPPC (International Plant Protection Convention) Standards für Holzverpackungen (ISPM 15, aktuelle Richtlinie) umzusetzen.

Die Paletten müssen für die Lagerung im Hochregallager geeignet sein. Es ist daher besonders darauf zu achten, dass sie auf ebenem Untergrund standfest sind, plan aufliegen und die drei Bodenbretter vollständig ausgebildet sind

Zulässige Palettenabmessungen und maximale Gewichte (inkl. Palette): 1200 x 800 x 144 mm, 1000 kg.

Um bei Anlieferungen von Palettensendungen den Entladeprozess zu beschleunigen, sollten die LKWs für eine Heckentladung mit Überladebrücke geeignet sein.

Sendungen ab 12 Paletten sind 24 Stunden vor Anlieferung per Mail an wareneingang@gruner.de zu avisieren.

Bei Flachpaletten muss die Zuladung mittig aufgebracht sein, Überstände sind nicht zulässig.

Die Zuladung auf der Palette ist mit einer entsprechenden Ladegutsicherung zu versehen (z. B. Umreifen, Verschrumpfen, Verkleben), wobei die Verpackung (sowohl Palette als auch Karton) nicht deformiert werden darf. Zulässig sind Haftmittel, Kunststoffumreifungsband, Palettendeckel oder PE-Folie.

Lieferscheine

Lieferscheine sind vorzugsweise in der Sprache „deutsch“ nach DIN 4991 auszuführen; alternativ ist eine Ausführung in der Sprache „englisch“ zulässig.

Bestellmengen einer Materialnummer aus unterschiedlichen Bestellnummern dürfen nicht zusammengefasst werden.

Folgende Angaben hat der Lieferschein zwingend zu enthalten:

- Name und Adresse des Lieferanten
- Lieferantenummer des Lieferanten bei Gruner AG
- Adresse und Abladestelle
- Gewicht
- Lieferscheinumnummer
- Lieferscheindatum
- Bestell-/Lieferabruf- /bzw. Kanbanabrufnummer (als Text & als Barcode [Code 128] sofern möglich)
- Gruner Materialnummer und Bezeichnung
- Liefermenge und Angabe der Mengeneinheit
- Anzahl und Art der Verpackungen

Delivery Guidelines of GRUNER AG

Scope of application

These delivery guidelines define the delivery of all materials to Gruner AG, Wehingen.

Deviations from these guidelines are only valid if they are stored in the purchase order text of Gruner AG or if a product-specific packaging data sheet has been agreed.

A general exception applies to the following product groups: Belt materials, plastic granulates in octabins, auxiliary materials and operating materials.

Delivery

General principles

Goods acceptance times:	Monday - Thursday:	07:00 to 12:00
		13:00 to 17:00
	Friday:	07:00 to 12:00
		13:00 to 15:00

Notes on delivery

Access to our factory in Wehingen is only possible via Bürglestraße.

The warehouse may only be entered with work safety shoes!

The consignment note / delivery note must be attached to the goods so that it is clearly visible from the outside and cannot be lost.

In the case of dutiable goods, the invoice must be attached to the delivery note.

The transport document must state whether the goods are customs goods or free goods; if they are customs goods, the T-paper must also be handed over.

The maximum weight of the container/carton/container of 15 kg must not be exceeded. The articles must be separated by container.

In the case of mixed deliveries of articles in one container/carton/container, these must be visibly marked from the outside in accordance with the section on accompanying labels/tags.

Open containers are to be avoided. In the case of hazardous substances, breakable containers are not permissible.

In order to avoid unnecessary waste, care must be taken to ensure the use of aids that are actually required for transport, storage in the high-bay warehouse or theft protection.

According to the specifications of the VdS (Association of Property Insurers), polystyrene foam-packed deliveries may not be stored. Deliveries in polystyrene foam packaging are therefore not permitted!

FB Anlieferungsrichtlinien / Delivery guidelines

For shipments that are not exempt from the above exceptions, a flat pallet with the dimensions 1200 mm x 800 mm x 144 mm (European exchange pallet / EPAL) must be used in any case. One-way pallets may not be used. Countries that are not members of the European Pallet Pool of the International Union of Railways are exempt.

For deliveries from third countries, the requirements and guidelines of the IPPC (International Plant Protection Convention) standard for wood packaging (ISPM 15, current guideline) must be implemented.

The pallets must be suitable for storage in high-bay warehouses. Special care must therefore be taken to ensure that they are stable on level ground, lie flat and that the three base boards are fully formed.

Permissible pallet dimensions and maximum weights (incl. pallet): 1200 x 800 x 144 mm, 1000 kg.

In order to speed up the unloading process for deliveries of pallet consignments, the trucks should be suitable for rear unloading with a dock leveller.

Shipments of 12 pallets or more must be notified 24 hours before delivery by mail: wareneingang@gruner.de

In the case of flat pallets, the payload must be applied centrally; overhangs are not permitted.

The load on the pallet must be secured appropriately (e.g. strapping, shrinking, gluing), whereby the packaging (both pallet and carton) must not be deformed. Adhesives, plastic strapping tape, pallet lids or PE film are permissible.

Delivery notes

Delivery notes shall preferably be made in the language "German" according to DIN 4991; alternatively, they may be made in the language "English".

Order quantities of a material number from different order numbers must not be combined.

The delivery note must contain the following information:

- Name and address of the supplier
- Supplier number of the supplier at Gruner AG
- Address and unloading point
- Weight
- Delivery note number
- Delivery note date
- Order / delivery call-off / kanban call-off number (as text & as barcode [Code 128] if possible)
- Gruner material number and description
- Delivery quantity and indication of the unit of measure
- Number and type of packaging